

PREMIER 8 RETAINING WALL

Scan for online gallery



CHARCOAL



GRAY




SANDSTONE



SANDSTONE BROWN

Ordering and Installation:

- Straight-split face, anchor bar design
- Easy-to-handle for increased efficiencies in the field
- Straight-thru core design; cores fill quickly & easily — void/fill coefficients: 0.018CY (.028 tons)
- Setback: 1.0" / 7"
- Radius: 6' minimum top of wall
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet



Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Premier 8 (Rochester)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	4	36 (36 sq. ft.)	2,102 lbs.
Premier 8 (Beaver Dam)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	5	45 (45 sq. ft.)	2,615 lbs.
*Solid Corner	18 x 9 x 8" H	1 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.

*Corners are split on one long and one short side, Rochester and Beaver Dam only. Dimensions shown are nominal.

Manufactured by:



7200 Broadway Ave. N, Rochester, MN 55906
 Phone: 507-288-8850
rochesterpcp.com



©Copyright 2026. All Rights Reserved. This information has been prepared for the benefit of customers interested in Rochester Concrete Products. It was reviewed carefully prior to publication. Rochester Concrete Products assumes no liability for its accuracy or completeness. Final determination of the suitability of any information or material for the use contemplated, or for its manner of use, is the sole responsibility of the user. 126